


Beryllium Mirrors

Excellent for High Power, Speed and Precision Processing with Laser Scanner

Typical Applications

PCB (Printed Circuit Board) Drilling, Marking, Medical Imaging, Confocal microscopy





Standard Chemical Composition

For Optical: Be $\geq 99.0\%$, BeO $\leq 0.7\%$

General: Be $\geq 98.5\%$, BeO $\leq 1.5\%$



Polished surface



Security • Reliability • Performance



NGK BERYLCO France
103 Quai Jean Pierre Fougerat • CS 20017 • F-44220 COUERON
Tél : +33 (0)2 40 38 67 50 • Fax : +33 (0)2 40 38 09 95
www.ngk-alloys.com • Email : nbf@ngkbf.com

Page 1/3




EN 9100 ISO 9001
ISO 14001 ISO 45001

BERYLLIUM PROPERTIES

Fourth element of the periodic table, divalent element of the alkaline-earth metal group, metal with a silvery gray appearance

An unique combination of properties

- Light weight, low density (beryllium is 1/3 lighter than aluminium)
- High specific stiffness (about 6 times of steel) and elasticity
- Excellent heat resistance
(Beryllium has the highest melting point of all light metals)
- Excellent acoustic velocity and transparency of the sound
(Pure beryllium diaphragms are used in top-of-the-range audio equipment)
- Excellent X-ray transmissivity. Beryllium also is non-magnetic
- Excellent optical reflectivity. Beryllium is used for mirrors of laser scanners
- Excellent thermal and electrical conductivity



Properties in comparison with Silica

Properties	Beryllium Be	Silica
Density (g/cm ³)	1.84 <i>Lighter</i>	2.2
Young's Modulus (GPa)	275 <i>Stiffer</i>	72
Thermal Conductivity (W/ (m*K))	180 <i>Cooler</i>	1.5

Security • Reliability • Performance



NGK BERYLCO France
103 Quai Jean Pierre Fougerat • CS 20017 • F-44220 COUERON
Tél : +33 (0)2 40 38 67 50 • Fax : +33 (0)2 40 38 09 95
www.ngk-alloys.com • Email : nbf@ngkbf.com



NGK WORLDWIDE
New Metals Division, Electronic Business Group

EUROPE

FRANCE

NGK BERYLCO France
103 Quai Jean Pierre Fougerat, CS 20017,
44220 Couëron, France
Tel : +33 (0)2 40 38 67 50
Fax: +33 (0)2 40 38 09 95
Email: nbf@ngkbf.com
www.ngk-alloys.com

SPAIN

Massague Rep. Ind. SA
Calle la Ginesta, 6, Apt de Correos 47
08 830 Sant Boi de Llobregat, Spain
Tel: +34 93 640 0573
Fax: +34 93 630 2865
Email: carolina@massaguesa.com
www.massaguesa.com

GREAT BRITAIN

NGK BERYLCO UK Ltd
Houston Park, Montford Street,
Salford, M50 2RP, U.K.
Tel: +44 (0)161-745-7162
Fax: +44 (0)161-745-7520
Email: enquiries@ngkberylco.co.uk
www.ngk-alloys.com

GERMANY

NGK Deutsche BERYLCO GmbH
Westerbachstraße 32
61476 Kronberg Im Taunus, Germany
Tel: +49 (0) 6173 993 400
Fax: +49 (0) 6173 993 401
Email: sales@ngkdbg.de
www.ngk-alloys.com

TURKEY

Promak Pres Otomasyon San.
Perpa Ticaret merkezi B Block K11
No:1987
Okmeydani-34384 Istanbul, Turkey
Tel: +90 212 320 85 10
Fax: +90 212 320 85 44
Email: makgol@promakmakina.com
www.promakmakina.com

ASIA

JAPAN

NGK INSULATORS Ltd
New Metal Division,
Marunouchi Bldg.25F, 2-4-1, Marunouchi,
Chiyoda-ku, Tokyo, 100-6235, Japan
Tel: +81 (0)3-6213-8913
Fax: +81 (0)3-6213-8973
www.ngk-insulators.com
www.ngk-global.com

CHINA

NGK INSULATORS Investment Co Ltd
Shanghai Office,
Dawning Centre Tower A Room 1902,
No.500 Hongbaoshi Road,
Shanghai 201103, China
Tel: +86-021-3209-8870
Fax: +86-021-3209-8871
www.ngk-metal.com

CHINA

NGK INSULATORS Investment Co Ltd
Shenzhen Branch
Room.8, Level.15, Tower 2,
Kerry Plaza, No.1 Zhong Xin Si Road,
Futian District
Shenzhen 518048, China
Tel: +86-755-3304 -3178
www.ngk-metal.com

AMERICA

USA

NGK METALS Corporation
917 U.S. Highway 11 South,
Sweetwater, TN 37874, USA
Tel: +1 (800) 523-8268
Fax: +1 (877) 645-2328
www.ngkmetals.com

INDIA

NGK TECHNOLOGIES INDIA PVT. Ltd
803, 8th Floor, Vatika City Point,
Sector 25, MG Road
Gurugram, Haryana – 122002, India
+91-(0)124-4488891
www.ngkcopper.com

For more information, please visit our website

www.ngk-alloys.com



Edition 11/2021 - Copyright © 2021 by NGK Berylco France

Security • Reliability • Performance



NGK BERYLCO France
103 Quai Jean Pierre Fougerat • CS 20017 • F-44220 COUERON
Tél : +33 (0)2 40 38 67 50 • Fax : +33 (0)2 40 38 09 95
www.ngk-alloys.com • Email : nbf@ngkbf.com

Page 3/3



EN 9100
ISO 9001
ISO 14001
ISO 45001